

Containing moxidectin in a long-acting formulation, it provides sustained control of internal parasites in sheep during periods of challenge.

Active Ingredient: 20mg/ml Moxidectin


Dose Rate: 1mg moxidectin/kg Liveweight (1ml/20kg liveweight)

Benefits

- Provides control of internal parasites in sheep
- Contains moxidectin, a highly potent member of the macrocyclic lactone (ML) family
- Effective against parasites susceptible to ML drenches, including gastrointestinal roundworms and large lungworm
- ≥91 days persistent activity against Barber's Pole worm and Small Brown Stomach worm
- Up to 49 days persistent activity against Black Scour worm
- Up to 4 months protection during severe Barber's Pole worm challenge
- Long duration of activity may reduce the need for frequent drenching
- Suitable for use in highly contaminated pastures
- Controls nasal bot (larval stages) and itch mite
- Simple subcutaneous injection for ease of application
- Wide margin of safety when used as directed

When administered at the recommended dose rate, Moxistar LA Sheep Injection provides:

- At least 91 days persistent activity against Barber's Pole worm (*Haemonchus contortus*)
- At least 91 days persistent activity against Small Brown Stomach worm (*Teladorsagia circumcincta*)
- Up to 49 days persistent activity against Black Scour worm (*Trichostrongylus* spp.)
- During periods of severe Barber's Pole worm challenge, protection may extend for up to 4 months when used as directed.
- Provides long-acting control of key internal parasites in sheep, including extended protection against barber's pole worm and small brown stomach worm.
- Delivers persistent activity against black scour worm and helps protect sheep under heavy parasite challenge.



Withholding Period/ESI

- Meat: 91 days
- Milk: Do not use in female sheep which are producing, or may in the future produce, milk or milk products for human consumption
- ESI: 133 days

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)


Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

For the treatment and control of moxidectin sensitive gastrointestinal parasites (including benzimidazole and/or levamisole resistant strains), lungworm and itch mite of sheep. An aid in the control of selenium responsive conditions.


Moxistar LV is highly effective against gastrointestinal parasites including Barber's Pole worm, Black scour worm, Stomach hair worm, Small brown stomach worm, Small intestinal worm, Thin necked intestinal worm, Intestinal threadworm, Nodule worm, Large mouthed bowel worm, Large lungworm & itch mite.

Active Constituent: 2 g/L Moxidectin 1 g/L Selenium (as Sodium selenate)

Dosage and Administration: MOXISTAR LV Se is ready to use. Administer 1 mL per 10 kg liveweight using any standard drenching equipment to give a dose of 0.2 mg moxidectin/kg and 0.1mg selenium/kg liveweight. Check dose rates and equipment before drenching commences.

Withholding Periods:

- MEAT: DO NOT USE less than 7 days before slaughter for human consumption.
- MILK: DO NOT USE in ewes which are producing or may in the future produce milk that may be used or processed for human consumption.
- EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 7 days before slaughter for export.



Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)

Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Active Constituent: 5 g/L Moxidectin


Application: 30ml Variable Applicator with Pour-On Nozzle or Pour-On Applicator 65ml.

Dosing & Administration: MOXISTAR CATTLE POUR-ON should be applied along the top of the back from withers to the base of the tail. The volume to use is 1 mL per 10 kg liveweight. This will administer the correct dose of 0.5 mg/kg liveweight.

MOXISTAR CATTLE POUR-ON can be used in lactating dairy cattle, but DO NOT RETREAT LACTATING CATTLE AT LESS THAN 21 DAY INTERVALS.

Liveweight (kg) Dose (mL)

31-40	4
41-50	5
51-60	6
61-70	7
71-80	8
81-90	9



Liveweight (kg) Dose (mL)

91-100	10
101-125	12.5
126-150	15
151-175	17.5
176-200	20
201-250	25
251-300	30
301-350	35
351-400	40
401-450	45
451-500	50
501-550	55

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)


Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)

Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download



Missing Attachment
Product Gallery

Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Starmec Injection will treat and control internal parasites including gastrointestinal roundworms, lungworms, eyeworms, sucking and biting lice, mites and cattle tick in cattle.

Active Constituent: 10mg/ml Ivermectin


Available in the following sizes: 500ML

Applicator: 20ml Injector (Drencher with conversion kit)

Dosing & Administration: Use the contents within 24 hours of first broaching of the vial. Discard the unused portion.

The recommended dose is 1 mL STARMEC Ivermectin Injection for Cattle per 50kg liveweight (equivalent to 200 µg ivermectin per kg liveweight) by subcutaneous injection. DO NOT administer by the intravenous or intramuscular route.

Liveweight (kg)	Dose volume (mL)	Treatments per 500mL
Up to 100	2	250
101 – 150	3	166



Liveweight (kg) Dose volume (mL) Treatments per 500mL

151 – 200	4	125
201 – 250	5	100
251 – 300	6	83
301 – 350	7	71
351 – 400	8	62
401 – 450	9	55
451 – 500	10	50
501 – 550	11	45
551 – 600	12	41
601 – 650	13	38

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)

Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery

Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1


iO Tick Off Duo contains fluazuron and ivermectin to give the dual benefits of tick control (fluazuron) and broad spectrum internal/external parasite protection (ivermectin) in one easy to use pour-on. Use in strategic cattle tick programs when broad spectrum parasite control is required in tick infested geographies.

Active Constituent:

15 g/L Fluazuron, 5 g/L Ivermectin

Dose Rate: Retreat when you first see ticks but not before at least 6 weeks after previous treatment, maximum 3 treatments per annual tick season

Body Weight (kg)	Dose (ml)	no. treated per 5L	no. treated per 20L
101-150	15	333	1333



151-200	20	250	1000
201-250	25	200	800
251-300	30	166	666
301-350	35	142	571
351-400	40	125	500
401-450	45	111	444
451-500	50	100	400
501-550	55	90	363
551-600	60	83	333
601-650	65	76	307
Over 650	5ml/50kg		

Controls & Prevents: Cattle Tick (*Rhipicephalus microplus*), ivermectin-sensitive gastrointestinal roundworms (including inhibited *Ostertagia ostertagi*), lungworms, sucking and biting lice, sarcoptic and chorioptic mites, and buffalo fly (*Haematobia irritans exigua*) on Beef Cattle.

Breed Category

Sheep

Buy Now AIRR


<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)



Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)

Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery

Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia


1

Active constituents: Ivermectin 10g/L & Clorsulon 100g/L

Mectec Plus is a ready to use broad-spectrum endectocide injection for cattle containing Ivermectin and Clorsulon for the treatment and control of Ivermectin and Clorsulon sensitive strains of internal and external parasites of cattle, including adult liver flukes.

The recommended dose rate is 1mL/50kg live weight by subcutaneous injection. Heavier animals (for example mature bulls) should receive an additional 1 mL for each 50kg over 650kg.

Liveweight (kg)	Dose (mL)	No. of animals treated
Up to 100	2	250
101 – 150	3	166
151 – 200	4	125
201 – 250	5	100
251 – 300	6	83
301 – 350	7	71



Liveweight (kg)	Dose (mL)	No. of animals treated
351 – 400	8	62
401 – 450	9	55
451 – 500	10	50
501- 550	11	45
551 – 600	12	41
601 – 650	13	38

Withholding periods:

MEAT: DO NOT USE less than 28 days before slaughter for human consumption.

MILK: Zero (0) days

EXPORT SLAUGHTER INTERVAL (ESI): DO NOT slaughter for export less than 42 days after treatment.

Recommended Applicators: iO 15 mL Injector

Storage: Store below 30c (Room temperature) and protect from light in a closed, original container.

Breed Category

Sheep


Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet



[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)


Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Active Constituent: 5 g/L Ivermectin.

Dose Rates: The dose is 1mL for each 10kg of liveweight. Dose the mob according to the heaviest animal by liveweight in each group (cows, bulls, calves, heifers etc.).


When there is a large variation in size within the group, draft into two or more lines based on bodyweight, to avoid overdosing. Do not underdose. Cattle should be weighed with either scales or with a weigh band.

Controls & Prevents: For the treatment and control of ivermectin sensitive:

Gastrointestinal nematodes:

Adult and immature (L4): Small Brown Stomach Worm (including inhibited stages) (*Ostertagia ostertagi*), Barber's Pole Worm (*Haemonchus placei*), Stomach Hair Worm (*Trichostrongylus axei*), Intestinal Hair Worm (*T. colubriformis*), Small Intestinal Worm (*Cooperia* spp.), Nodule Worm (*Oesophagostomum radiatum*); and Adult stages of *Cooperia oncophora*, *C. punctata*, *Oesophagostomum venulosum*, Whip Worm (*Trichuris* spp.), Intestinal Threadworm (*Strongyloides papillosus*); and Immature stages (L4) of Thin Necked Intestinal Worm (*Nematodirus* spp.).

Lungworms: (adult and immature) *Dictyocaulus viviparus*.



Eyeworm: *Thelazia* spp. (adult stages).

Sucking and Biting Lice: *Linognathus vituli*, *Haematopinus eurysternus*, *Bovicola bovis*, *Solenopotes capillatus*.

Mites: *Chorioptes bovis*, *Sarcoptes scabiei* var *bovis*.

Buffalo Flies: *Haematobia irritans exigua* g. Cattle Ticks: (*Boophilus microplus*) including organophosphate, synthetic pyrethroid- and amidine-resistant strains.

Administration Instructions: This product is formulated only for external application to cattle; do not use in other species. The formulation should be applied along the topline in a narrow strip extending from the withers to the tailhead.

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)


Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Containing Eprinomectin, one of the world's most potent endectocides, iO Eprinomax provides broad-spectrum control of internal and external parasites with the flexibility of Nil meat and Nil milk withholding periods.

Active Constituent: 5 mg/ml Eprinomectin

Dosage: 1ml per 10kg live weigh. For external use only. Refer to label for further instructions.

Controls & Prevents: For the treatment and control of gastrointestinal roundworms (including inhibited immature *Ostertagia ostertagi*) and lungworm in cattle. For sucking and biting lice, sarcoptic and chorioptic mange mites, and buffalo fly in beef and dairy cattle. iO EPRINOMAX Pour-On aids in control of cattle tick (*Rhipicephalus microplus*). For the treatment and control of gastrointestinal roundworms and lungworm in deer.


Recommended Applicators: Large cattle (300kg +): iO Pour-on applicator 65ml. Smaller cattle (up to 300kg): iO Drench/Pour-On applicator 30mL.

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>



Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)

Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Active Constituent: 5 mg/mL Doramectin

Application: 30ml Variable Applicator with Pour-On Nozzle or Pour-On Applicator 65ml.

Dosing & Administration: Apply topically along the mid-line of the back in a narrow strip between the withers and tailhead.

Use the dose rate, according to the weight of the animal, given in the tables below. The dose rate should be based on the heaviest member in the weight range (given under the heading “weight (kg)”). Cattle should be weighed with either scales or a weighband.

Bodyweight (kg) Dose (mL)

40–50	5
51–75	7.5
76–100	10
101–150	15
151–200	20
201–250	25

Bodyweight (kg) Dose (mL)

251–300	30
301–350	35
351–400	40
401–450	45
451–500	50
501–550	55
551–600	60
601–650	65

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)

Product Label


[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery





Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Active Constituent 10mg/ml Abamectin, 200mg/ml Levamisole

Dose Rates SURESHOT DUO POUR-ON dose rate is 1 mL/20 kg body weight (0.5 mg/kg abamectin and 10 mg/kg levamisole). Apply along the backline of the animal, using the SURESHOT DUO POUR-ON applicator, in a strip starting between the shoulder blades. This product is not to be given orally or injected. Only use the pour-on applicator supplied for use with SURESHOT DUO POUR-ON. SURESHOT DUO POUR-ON is not compatible with other guns. After use, rinse gun with warm soapy water.

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers


<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)




Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Features:

- Wide safety margin when administered to cattle & pigs.
- Low irritant formulation, which will minimise any potential reaction to the injection site post administration.
- Broad spectrum treatment for the control of gastrointestinal roundworms, lungworms, sucking lice, biting lice, cattle tick and mange mites.
- The most reliable and accurate dosage format, which ensures animals receive the optimal dose.


Active Constituent: 10 mg/mL Doramectin

Application: Metal Drencher 20mL with Injector Conversion Kit.

Dosing & Administration: Use contents within 28 days of first broaching of the vial. Store upright. Discard the unused portion. Use a multi-dose syringe for multiple treatments to minimise the number of broachings.

CATTLE: 1 mL per 50 kg of bodyweight SC

PIGS: 1 mL per 33 kg (0.3 mL per 10 kg) of bodyweight IM



Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)


Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1

Dose Rates: The recommended dose rate for iO Mectec LV is 1 mL/20kg body weight. Apply along the topline of the animal.


Applicator: iO 30ml Variable Applicator – Pour-On Nozzle

Withholding periods:

MEAT: DO NOT USE less than 42 days before slaughter for human consumption.

MILK: Zero (0) days.

ESI: DO NOT use less than 42 days before slaughter for export.



Storage: Store below 30°C (room temperature).

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)


Product Label

[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery



Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia


1

With persistent activity against internal parasites for up to 120 days (see below table for details) or cattle/tick for at least 51 days, no other product offers longer term protection ensuring optimum health, performance and fertility.

OXISTAR LONG ACTING INJECTION FOR CATTLE is effective against sensitive strains of the following parasites:

Internal parasites: Mature (adult) and immature (L4): Barber's pole worm, *Ostertagia ostertagi* / *Ostertagia lyrata* (including inhibited larvae), Black scour worms, Small intestinal worm, Nodule worm, Hookworm, Whipworm, Lungworm and Adult nematodes.

External parasites: Lice (Sucking lice). Aids in the control of *Bovicola bovis* (biting lice), Mites and Ticks.



Dose Rates 1 mg moxidectin/kg liveweight (1 mL/100 kg liveweight)

Breed Category

Sheep

Buy Now AIRR

<https://airr.com.au/product/livestock/sheep/sheep-drenches/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Buy Now Tuckers

<https://tuckersstore.com.au/product/hunter-river-co-moxistar-la-inj-for-sheep-500ml/>

Safety Data Sheet

[2022-09-23-Moxistar-Long-Acting-Injection-for-Sheep-83920-SDS-valid-S](#)

Product Brochure

[A4-Flyer-Moxistar-LA-Sheep](#)

Product Label


[Label-Moxistar-Long-Acting-Injection-for-Sheep-1](#)

Custom Product Download

Missing Attachment

Product Gallery





Short Description

Practical parasite control – Moxistar Long-Acting Injection for Sheep delivers extended protection from a single injection.

Active Constituent

20mg/ml Moxidectin

Product Sizes

500ml

Made in Australia

1