

SAFETY DATA SHEET

RATSHOT RAPIDKILL RODENTICIDE BLOCKS APVMA Approval No. 69209

SECTION 1. IDENTIFICATION

Product name: RATSHOT RAPIDKILL RODENTICIDE BLOCKS APVMA Approval No. 69209

Recommended Use: Ready for use rodenticide containing 50ppm Brodifacoum.

Restrictions on Use: None specified.

Supplier of SDS: Freezone Public Health Pty Ltd

Supplier Address: 18 Gilpin Street

Shorncliffe QLD 4017

Supplier Phone: 07 3869 4436 Supplier Fax: 07 3869 4433

Supplier Email: info@freezone.net.au

Emergency Telephone Number: Craig Jephcott 0412 200 252

Poisons Information Centre 13 11 26

SECTION 2. HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Health Hazards: Not Classified Physical Hazards: Not Classified

Environmental Hazards: Not Classified

Label Elements and Precautionary Statements

Hazard Statements: Not Classified

Precautionary Statements: EUH208 Contains 1, 2- Benzisothiazolin-3-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply

with the instructions for use.

P102 Keep out of reach of children.

P103 Read label before use.

P220 Keep / Store away from foodstuffs, beverages and animal feeding stuffs.

P262 Do not get on skin.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves [Professional users].

P273 Avoid release to the environment.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician. P404 Store in a closed container.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

1,2-BENZISOTHIAZOL-3(2H)-ONE contains <0.02%	Classification
CAS number: 2634-33-5	Acute Toxicity. 4 - H302
EC number: 220-120-9 M factor (Acute) = 10	Skin Irrit. 2 - H315
	Eye Dam. 1 - H318
	Skin Sens. 1 - H317
	Aquatic Acute 1 - H400

2,2'-Iminodiethanol contains <0.1%	Classification
	Eye Dam. 1 - H318
CAS number: 111-42-2	STOT RE 2 - H373
EC number: 203-868-0	

Brodifacoum contains 0.005%	Classification
	Acute Tox. 1 - H300
CAS number: 56073-10-0	Acute Tox. 1 - H310
EC number: 259-980-5	STOT RE 1 - H372
M factor (Acute) = 1	Aquatic Acute 1 - H400
M factor (Chronic) = 1	Aquatic Chronic 1 - H410

Brodifacoum contains 0.005%	Classification
	Acute Tox. 1 - H300
CAS number: 56073-10-0	Acute Tox. 1 - H310
EC number: 259-980-5	STOT RE 1 - H372
M factor (Acute) = 1	Aquatic Acute 1 - H400
M factor (Chronic) = 1	Aquatic Chronic 1 - H410

Denatonium Benzoate contains 0.001% CAS number: 3734-33	Classification
	Acute Tox. 4 - H302
	Acute Tox. 4 - H332
EC number: 223-095-2	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Aquatic Chronic 3 - H412

Full text for all hazard statements is contained in Section 16.

SECTION 4. FIRST AID MEASURES

First aid measures

General information In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible). ADVICE FOR DOCTORS: Brodifacoum is an indirect anticoagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin times not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalizes.

Continue determination of prothrombin time for two weeks after withdrawal

of antidote and resume treatment if elevation occurs in that time.

Inhalation Unlikely to present an inhalation hazard as the product is supplied as

a solid block. Move the exposed person to fresh air. Obtain medical

advice immediately.

Ingestion If swallowed, seek medical advice immediately and show the container or this SDS.

Skin contact Rinse skin with water. Seek medical attention if irritation or symptoms persist.

Eye contact Rinse eyes with water. Seek medical attention if irritation or symptoms persist.

Protection of first aiders
Use suitable protective equipment for surrounding materials.

Symptoms caused by exposure

General information Severity of the symptoms described will vary depending on the

concentration and length of exposure.

Inhalation No symptoms known.

Ingestion Rinse mouth. Do not induce vomiting. Call a medical doctor immediately.

Skin contact May cause irritation to skin.

Eye contact May cause slight irritation to eyes.

Medical attention and special treatments

Specific treatments Brodifacoum is an indirect anticoagulant. Phytomenadione, Vitamin K1, is

antidotal. Determine prothrombin times not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalizes. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Extinguish fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide (CO2) Alcohol resistant foam. Dry chemical. Use extinguishing media appropriate to the surrounding fire conditions. This product contains paraffin wax which is combustible and vapours from

molten wax are flammable.

DO NOT use water jet to extinguish fire, this will cause fire to spread.

Specific hazards arising from the chemical

Thermal combustion of product may produce harmful gasses or vapours.

Special protective equipment and precautions for firefighters

Firefighting precautions Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to

heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

Protective equipment Self-contained breathing apparatus, suitable gloves and boots.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear suitable protective clothing, gloves and eye/face protection. See section 8.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Clean up methods Reuse or recycle products wherever possible. Clean up promptly by sweeping.

Transfer to a suitable labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains.

SECTION 7. HANDLING AND STORAGE

Precautions for handling Avoid contact with skin and eyes. Contains chloracetamide, may produce an

allergic reaction. Avoid dust formation. Do not smoke eat or drink while handling this product. Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking. Read the label before use. Unlikely to produce dust as the product is a wax block.

Conditions for safe storage Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep

away from food and animal feedstuffs. Keep away from oxidising agents.

Specified end use Ready for use rodenticide containing 50 ppm Brodifacoum. For indoor and

outdoor use.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits

Propylene glycol particulates WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 10

(Propane-1,2-diol particulates) WEL 15 min limit ppm: - WEL 15 min limit mg/m3: -

Propylene glycol WEL 8-hr limit ppm: 150 WEL 8-hr limit mg/m3: 474

(Propane-1,2-diol

total vapour and particulates) WEL 15 min limit ppm: - WEL 15 min limit mg/m3: -

Starch respirable WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 4

WEL 15 min limit ppm: - WEL 15 min limit mg/m3: -

Starch Total Inhalable WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 10

WEL 15 min limit ppm: - WEL 15 min limit mg/m3: -

Sugar (Sucrose) WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 10

WEL 15 min limit ppm: - WEL 15 min limit mg/m3: 20

Flour and Grain Dust WEL 8-hr limit ppm: WEL 8-hr limit mg/m3: 10

WEL 15 min limit ppm: WEL 15 min limit mg/m3: 30

Exposure controls

Respiratory protection Unlikely to present an inhalation hazard. If levels approach the WEL then suitable

approved respiratory protection should be worn.

Hand protection Impervious gloves.

Eye protection Tight fitting goggles if exposed to excessive dust.

Protective equipment Impervious clothing, boots.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Wax Block

Colour Red Odour Slight

Odour threshold No information available. PH No information available.

Melting point approx. 60 Degrees Celsius (for the wax).

Initial boiling point and range

Flash point

Evaporation rate

Evaporation factor

No information available.

No information available.

No information available.

No information available.

Flammability (solid, gas) Combustible

Upper/lower flammability or explosive limits
Other flammability
Vapour pressure
Vapour density
No information available.
No information available.
No information available.
No information available.

Relative density 1:17

Bulk density No information available. Solubility(ies) Immiscible with water. Partition coefficient No information available. Auto-ignition temperature No information available. **Decomposition Temperature** No information available. Viscosity No information available. Explosive properties No information available. Explosive under the influence of a flame No information available.

Oxidising properties Does not meet the criteria for classification as oxidising.

SECTION 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions when used and stored in accordance with label.

Reactivity There are no known reactivity hazards associated with this product.

Possibility of hazardous

reactions

No hazardous reactions known.

Conditions to avoid Heat, sparks and open flames.

Incompatible materials Oxidising agents.

Hazardous decomposition Combustion or thermal decomposition will produce toxic and irritant fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD_{50}) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity- development Based on available data the classification criteria are not met.

Specific target organ toxicity

STOT- single exposure Not classified as a specific target organ toxicant after a single

exposure.

STOT- repeated exposure Not classified as a specific target organ toxicant after a repeated

exposure.

Aspiration hazard

Aspiration hazard Not relevant. In solid block form.

General information

Inhalation No symptoms known.

Ingestion Ingestion of large amounts could be harmful.

Skin contact Prolonged contact may cause dryness of the skin and irritation.

Eye contact May irritate eyes.

Route of entry Inhalation, ingestion, skin contact or eye contact.

Target organs None known.

Toxicity of ingredients

	Oral (Rat) LD50	Dermal (Rat) LD5
Brodifacoum	0.27 mg/kg	7.48 mg/kg
Denatonium Benzoate	584 mg/kg	-

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic organisms and terrestrial vertebrates. Read all

precautions before use.

Persistence and degradability

No data available.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations. The

generation of waste should be minimised or avoided wherever possible.

Reuse or recycle products wherever possible. This material and its

container must be disposed of in a safe way.

Disposal of packaging Empty containers can be sent to landfill after cleaning, if in

compliance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

General Not classified as dangerous for transport within Australia.

UN number Not applicable.

UN proper shipping name Not applicable.

Transport hazard class(es) No transport warning sign required.

Packing group Not applicable.

Environmental hazards Not known as an environmentally hazardous substance/marine pollutant

Special precautions for user Not applicable.

Transport in bulk according to Annex II

of MARPOL and the IBC Code

Not applicable.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Work Health and Safety Act 2011 (Qld) Legislation

Work Health and Safety Regulation 2011 (Qld)

Australian Code for the Transport of Dangerous Goods by Road

and Rail (ADG Code)

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of

> the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

(as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substances Directive 67/548/EEC.

Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16. OTHER INFORMATION	
Revision date	01/12/16
Revision	3
Supersedes date	01/10/15
Complete hazard statements	H300 Fatal if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H372 Causes damage to organs (Blood) through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.