

## SAFETY DATA SHEET

### **RATSHOT RODENTICIDE BLOCKS APVMA Approval No. 68762**

#### **SECTION 1. IDENTIFICATION**

Product name: RATSHOT RODENTICIDE BLOCKS APVMA Approval No. 68762

Recommended Use: Ready for use rodenticide containing 50ppm Difenacoum.

Restrictions on Use: None specified.

Supplier of SDS: Freezone Public Health Pty Ltd

Supplier Address: 18 Gilpin Street

Shorncliffe QLD 4017

Supplier Phone: 07 3869 4436 Supplier Fax: 07 3869 4433

Supplier Email: <a href="mailto:info@freezone.net.au">info@freezone.net.au</a>

Emergency Telephone Number: Craig Jephcott 0412 200 252

Poisons Information Centre 13 11 26

#### SECTION 2. HAZARD(S) IDENTIFICATION

### Classification of the substance or mixture

Health Hazards: Not Classified

Physical Hazards: Not Classified

Environmental Hazards: Not Classified

# **Label Elements and Precautionary Statements**

Hazard Statements: Not Classified

Precautionary Statements: EUH 208 Contains 1, 2- Benzisothiazolin-3-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

P102 Keep out of reach of children.

P103 Read label before use.

P220 Keep / Store away from foodstuffs, beverages and animal feeding stuffs.

P262 Do not get on skin.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves [Professional users].

P273 Avoid release to the environment.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician. P404 Store in a closed container.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS	
1,2-BENZISOTHIAZOL-3(2H)-ONE contains <0.02%	Classification
CAS number: 2634-33-5	Acute Toxicity. 4 - H302
EC number: 220-120-9	Skin Irrit. 2 - H315
	Eye Dam. 1 - H318
M factor (Acute) = 10	Skin Sens. 1 - H317
	Aquatic Acute 1 - H400

<b>2,2'-Iminodiethanol</b> contains <0.1% CAS number: 111-42-2	Classification Eye Dam. 1 - H318 STOT RE 2 - H373
EC number: 203-868-0	STOT RE 2 - H373

Difenacoum contains 0.005%	Classification
CAS number: 56073-07-5	Acute Tox. 2 - H300
	STOT RE 1 - H372
EC number: 259-978-4	Aquatic Acute 1 - H400
M factor (Acute) = 1	Aquatic Chronic 1 - H410
M factor (Chronic) = 1	

Denatonium Benzoate contains 0.001%	Classification
	Acute Tox. 4 - H302
CAS number: 3734-33	Acute Tox. 4 - H332
EC number: 223-095-2	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Aquatic Chronic 3 - H412

Full text for all hazard statements is contained in Section 16.

## **SECTION 4. FIRST AID MEASURES**

#### First aid measures

General information Advice for Medical Doctors: Difenacoum is an indirect anti-coagulant.

Phytomenadione, Vitamin K, is antidotal. Determine prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if

elevation occurs in that time.

Inhalation No specific recommendations. If throat irritation or coughing persists,

proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any

discomfort continues.

Ingestion No specific recommendations. If throat irritation or coughing persists, proceed as

follows. Rinse mouth. Get medical attention if any discomfort continues.

Skin contact Rinse skin with water. Seek medical attention if irritation or symptoms persist.

Eye contact Rinse eyes with water. Seek medical attention if irritation or symptoms persist.

Protection of first aiders 
Use suitable protective equipment for surrounding materials.

### Symptoms caused by exposure

General information Severity of the symptoms described will vary depending on the

concentration and length of exposure.

Inhalation No symptoms known.

Ingestion Rinse mouth. Do not induce vomiting. Call a medical doctor immediately.

Skin contact May cause irritation to skin.

Eye contact May cause slight irritation to eyes.

### Medical attention and special treatments

Specific treatments Difenacoum is an indirect anti-coagulant. Phytomenadione, Vitamin K, is

antidotal. Determin prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

## **SECTION 5. FIREFIGHTING MEASURES**

### Extinguishing media

This product is combustible. It contains paraffin wax which will give off flammable vapours if heated. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media

suitable for the surrounding fire.

DO NOT use water jet to extinguish fire, this will cause fire to spread.

#### Specific hazards arising from the chemical

Specific hazards None known.

Hazardous combustion Thermal combustion of product may produce harmful gasses or vapours.

products

## Special protective equipment and precautions for firefighters

Firefighting precautions Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to

#### RATSHOT RODENTICIDE BLOCKS APVMA Approval No. 68762

heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

Protective equipment Self-contained breathing apparatus, suitable gloves and boots.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear suitable protective clothing, gloves and eye/face protection. See section 8.

Avoid discharge into drains or watercourses or onto the ground. Environmental precautions

Clean up methods Reuse or recycle products wherever possible. Collect spillage with a shovel and

broom, or similar and reuse, if possible, Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of

water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

SECTION 7. HANDLING AND STORAGE

Precautions for handling Read and follow manufacturer's recommendations. Wear protective clothing as

> described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

contaminated clothing before reuse.

Conditions for safe storage Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep

away from food and animal feedstuffs. Keep away from oxidising agents.

Storage precautions No specific recommendations.

Storage class **Unspecified Storage** 

Specified end use Ready for use rodenticide containing 50 ppm Difenacoum. For indoor and outdoor

use.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure limits** 

Sugar (Sucrose) WEL 8-Hr limit mg/M3: 10 WEL 15 min limit mg/M3: 20

Propane-1,2-diol (Propane-1,2-diol Particulates) WEL 8-Hr limit mg/M3: 10 Propane-1,2-diol (Propane-1,2-diol total vapour and particulates) WEL 8-Hr limit ppm: 150

WEL 8Hr limit mg/M3: 474 Paraffin Wax WEL 8-Hr limit mg/M3: 2

WEL 15 min limit mg/M3: 6 Paraffin Wax (Paraffin wax fume) WEL 8-Hr limit mg/M3: 2 WEL 15 min limit mg/M3: 6

Distillates (Petroleum) TWA

(Non-Aerosol)

**Exposure controls** 

Appropriate engineering controls No specific ventilation requirements.

No specific eye protection required during normal use. Large Eye/face protection

> Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is

possible.

Hand protection No specific hand protection recommended. Large Spillages:

Wear protective gloves.

#### RATSHOT RODENTICIDE BLOCKS APVMA Approval No. 68762

Hygiene measures Wash hands thoroughly after handling. Wash at the end of

each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection No specific recommendations. Provide adequate ventilation.

Large Spillages: If ventilation is inadequate, suitable

respiratory protection must be worn.

Environmental exposure controls Not regarded as dangerous for the environment.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Wax Block
Colour Blue
Odour Slight

Odour threshold No information available. PH No information available.

Melting point approx. 60 Degrees Celsius (for the wax).

Initial boiling point and range

Flash point

Evaporation rate

Evaporation factor

No information available.

No information available.

No information available.

No information available.

Flammability (solid, gas) Combustible

Upper/lower flammability or explosive limits
Other flammability
Vapour pressure
Vapour density
No information available.
No information available.
No information available.
No information available.

Relative density 1:17

Bulk density No information available. Solubility(ies) Immiscible with water. Partition coefficient No information available. Auto-ignition temperature No information available. **Decomposition Temperature** No information available. Viscosity No information available. Explosive properties No information available. Explosive under the influence of a flame No information available.

Oxidising properties Does not meet the criteria for classification as oxidising.

# SECTION 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions when used and stored in accordance with label.

Reactivity There are no known reactivity hazards associated with this product.

Possibility of hazardous

reactions

No hazardous reactions known.

Conditions to avoid Heat, sparks and open flames.

Incompatible materials Oxidising agents.

Hazardous decomposition Does not decompose when used and stored as recommended. Combustion

or thermal decomposition will produce toxic and irritant fumes.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity- development Based on available data the classification criteria are not met.

Specific target organ toxicity

STOT- single exposure Not classified as a specific target organ toxicant after a single

exposure.

STOT- repeated exposure Not classified as a specific target organ toxicant after a repeated

exposure.

**Aspiration hazard** 

Aspiration hazard Not relevant. In solid block form.

**General information** 

Inhalation No symptoms known.

Ingestion Ingestion of large amounts could be harmful.

Skin contact Prolonged contact may cause dryness of the skin and irritation.

Eye contact May irritate eyes.

Route of entry Inhalation, ingestion, skin contact or eye contact.

Target organs None known.

Toxicity of ingredients Difenacoum Acute Oral (Rat) Category 2 from CLP Denatonium

Benzoate Oral (Rat) LD50 = 584 mg/kg

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Not regarded as dangerous for the environment. However, large

or frequent spills may have hazardous effects on the

environment. Toxic to mammals, including domesticated animals, and birds if ingested. Exposure to non-target animals should be

prevented.

Based on available data the classification criteria are not met. **Toxicity** 

Persistence and degradability No data available.

Partition coefficient No information available.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No data available.

## SECTION 13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations. The

generation of waste should be minimised or avoided wherever possible.

Reuse or recycle products wherever possible. This material and its

container must be disposed of in a safe way.

Disposal of packaging Empty containers can be sent to landfill after cleaning, if in

compliance with local and national regulations. Dispose of

Contaminated packaging as unused product unless fully cleaned.

# SECTION 14. TRANSPORT INFORMATION

General Not classified as dangerous for transport within Australia.

**UN** number Not applicable.

UN proper shipping name Not applicable.

Transport hazard class(es) No transport warning sign required.

Packing group Not applicable.

Environmental hazards Not known as an environmentally hazardous substance/marine pollutant

Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation Work Health and Safety Act 2011 (Qld)

Work Health and Safety Regulation 2011 (Qld)

Australian Code for the Transport of Dangerous Goods by Road

and Rail (ADG Code)

**EU** legislation Regulation (EC) No 1907/2006 of the European Parliament and of

> the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

(as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substances Directive 67/548/EEC.

Chemical safety assessment No chemical safety assessment has been carried out.

SECTION 16. OTHER INFORMATION
-------------------------------

Revision date 01/12/16

Revision 2

Supersedes date 01/10/13

Complete hazard statements H300 Fatal if swallowed.

> H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H372 Causes damage to organs (Blood) through prolonged or

repeated exposure.

H373 May cause damage to organs through prolonged or repeated

exposure.

### RATSHOT RODENTICIDE BLOCKS APVMA Approval No. 68762

H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.