



ESSENTIAL

ORAL PASTE FOR HORSES

MADE IN



35
ML

ACTIVE CONSTITUENTS: 50 mg/g PRAZIQUANTEL, 4 mg/g ABAMECTIN

For treatment and control of susceptible tapeworms, roundworms (including arterial larval stages of *Strongylus vulgaris* and benzimidazole resistant small strongyles), bots and skin lesions caused by *Habronema* and *Draschia* spp. (summer sores) and *Onchocerca* spp. microfilariae (cutaneous onchocerciasis).

iO ESSENTIAL ORAL PASTE FOR HORSES controls the following parasites:

Tapeworms: *Anoplocephala perfoliata*, *Anoplocephala magna*, *Paranoplocephala mammillana* (adult and immature heads and segments)

Large Strongyles: *Strongylus vulgaris* (adults and arterial larval stages), *Strongylus edentatus* (adults and tissue stages), *Strongylus equinus* (adults) and *Triodontophorus* spp. (adults)

Small Strongyles: Including benzimidazole resistant strains (adult and immature) *Cyathostomum* spp., *Cylicocycclus* spp., *Cylicostephanus* spp., *Cylicodontophorus* spp., *Gyallocephalus* spp.

Pinworms: *Oxyuris equi* (adult and immature)

Ascarids: *Parascaris equorum* (adult and immature)

Hairworms: *Trichostrongylus axei* (adult)

Large Mouth Stomach Worms: *Habronema muscae* (adult)

Neck Threadworms: *Onchocerca* spp. (microfilariae)

Bots: *Gasterophilus* spp. (oral and gastric stages)

Lungworms: *Dictyocaulus arnfieldi* (adult and immature)

Intestinal Threadworms: *Strongyloides westeri* (adult)

iO ESSENTIAL ORAL PASTE FOR HORSES is also effective for control of skin lesions caused by *Habronema* and *Draschia* spp. cutaneous larvae (summer sores), and *Onchocerca* spp. microfilariae (cutaneous onchocerciasis).



For SDS or technical information, please visit independentsown.com.au

