

POISON

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

MOXISTAR

LONG ACTING INJECTION FOR CATTLE



Active Constituent: 100 mg/mL MOXIDECTIN

For the treatment and control of moxidectin sensitive internal and external parasites in cattle.

500 mL

Read the carton for full instructions.

DIRECTIONS FOR USE

Restraints:

DO NOT USE in cattle that may be exported live for slaughter. Use is permitted in cattle that may be exposed live for breeding.

MILK: DO NOT USE in lactating cows or within 80 days of calving where milk may be used or processed for human consumption.

INJECT ONLY by subcutaneous injection into the back of the ear. Do not inject anywhere else in the animal. Injection sites anywhere else on the animal may result in injection site residues that exceed approved limits at the Withholding Period or Export Slaughter Interval.

Re-treatment interval: DO NOT RE-TREAT animals for 56 days after last treatment.

Dosage and Administration:

Use the contents within 6 months of first broaching the vial. Discard the unused portion.

Dose Rate: 1 mg/kg liveweight (1 mL/100 kg).

Administer SC into the back of the ear towards its base. Avoid IV injection. DO NOT administer anywhere else on the animal. DO NOT use in cattle less than 100 kg or greater than 1000 kg. Use a 5 mL injector gun fitted with a 16 or 18 gauge, 12 to 18 mm needle.

WITHHOLDING PERIODS

MEAT: 56 days.

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI): 108 days.
DO NOT USE in cattle that may be exported live for slaughter.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

ENVIRONMENTAL PROTECTION

Moxidectin is extremely toxic to aquatic species. Do not contaminate dams, rivers, streams or other waterways with the chemical or used containers.

DISPOSAL

Dispose of container by wrapping in paper and putting in garbage. Discarded needles should immediately be placed in a designated and appropriately labelled "sharps" container. The container should be of a type to reduce the possibility of injury to handlers during collection and disposal. Incineration is the preferred method of disposal, otherwise sharps should be buried at a suitable site, such as an on-farm chemical disposal pit located away from water courses.

STORAGE

Store below 30°C (room temperature). Protect from light.

BATCH:

EXP:

Harmful if swallowed.

Causes skin and eye irritations.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure.

Do not get in eyes, on skin, or on clothing.

Take off contaminated clothing and wash before re-use.

Store locked up.

The Hunter River Company Pty Limited | ACN 133 798 615 | 74-76 Drummond Road, Shepparton VIC 3630

Ph: (03) 5820 8400 | APVMA Approval No. 84849/143846

23561F-4