

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY



mectec LV

POUR-ON FOR CATTLE

ACTIVE CONSTITUENT: 10 g/L IVERMECTIN
Also contains: 151 g/L Diethylene
Glycol Monobutyl Ether (solvent)

For the treatment and control of ivermectin-sensitive
internal and external parasites of beef and dairy cattle.

500 mL



MADE FOR AIRR 74-76 Drummond Rd, Shepparton, VIC 3630
P 03 5820 8400 | independentsown.com.au

23539F-2

Read the carton for full instructions.

DIRECTIONS FOR USE

Restraints:

Re-treatment interval: DO NOT re-treat animals for 42 days after last treatment.

DO NOT USE less than 42 days before slaughter for human consumption.

Dosage and Administration:

For external application to cattle only. Recommended dose is 1 mL/20 kg bodyweight. Apply along the topline of the animal. Refer to carton for dosage table.

WITHHOLDING PERIODS

MEAT: 42 days.

MILK: Zero (0) days.

TRADE ADVICE -

EXPORT SLAUGHTER INTERVAL (ESI): 42 days

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves and goggles.

Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

ENVIRONMENTAL PROTECTION

Ivermectin is extremely toxic to aquatic species. Do not contaminate dams, rivers, streams or other waterways with the chemical or used container.

DISPOSAL

Dispose of container by wrapping with paper and putting in garbage.

STORAGE

Store below 30°C (room temperature).

APVMA Approval No. 85173/127965

BATCH:

EXPIRY:

May damage fertility or the unborn child.

May cause harm to breast-fed children.

Do not breathe fumes, mists, vapours or spray.

Avoid contact during pregnancy or while nursing.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Rinse mouth.

Do NOT induce vomiting.

If exposed or concerned: Get medical advice.

If skin irritation occurs or eye irritation persists: Get medical advice.

Protect from sunlight. Keep cool.