

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY




mectec

POUR-ON FOR BEEF AND DAIRY CATTLE



ACTIVE CONSTITUENT: 5 g/L IVERMECTIN



For the treatment and control of
ivermectin-sensitive internal and
external parasites of beef and dairy cattle.

500 mL

MADE FOR AIRR 74-76 Drummond Rd, Shepparton, VIC 3630
P 03 5820 8400 | independentsown.com.au

23639F-5

Read the carton for full instructions.

DIRECTIONS FOR USE:

Restraints: DO NOT USE in pregnant cows less than 7 days before calving.

Dosage and Administration: 1 mL/10 kg live weight. The product is formulated for external application to cattle only. Apply along the topline in a narrow strip extending from withers to tail head.

WITHHOLDING PERIODS:

MEAT: 28 days. Bobby calves: 4 days.

MILK: Zero (0) days.

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): 28 days.

SAFETY DIRECTIONS: Poisonous if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. If product gets on skin, immediately wash the area with soap and water. If product gets in eyes, wash out immediately with water. Wash hands after use.

FIRST AID: If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

ENVIRONMENTAL PROTECTION: Very toxic to aquatic life. Do not contaminate dams, rivers, streams or other waterways with the chemical or used container. When used according to label directions iO MECTEC POUR-ON is not likely to have an unintended effect that is harmful to the environment or have an overall adverse effect on dung beetle or earthworm populations. Increased mortality and impaired development of dung beetle larvae may be expected, but for a limited period after treatment. There may also be short-term indirect effect on the rate of earthworm colonisation of dung pats.

DISPOSAL: Dispose of container by wrapping with paper and putting in garbage.

STORAGE: Store below 30°C (room temperature). Protect from light.

APVMA Approval No. 70317/128868

BATCH:

EXPIRY:

Highly flammable liquid and vapour. Repeated exposure may cause skin dryness or cracking.

May cause drowsiness or dizziness.

May damage fertility or the unborn child.

Keep away from heat, sparks, open flames and hot surfaces. – No smoking.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTRE or doctor if you feel unwell.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

23639B-6



**UN 1219,
ISOPROPAÑOL
(ISOPROPYL
ALCOHOL),
PG II**