

KEEP OUT OF REACH OF CHILDREN  
FOR ANIMAL CONSUMPTION ONLY



# milktech lamb

**TYPICAL ANALYSIS**  
Protein 25%  
Fat 30%  
Lactose 35%

**MILK REPLACER**

**5 KG**



**Milktech Lamb Milk Replacer** has been developed to achieve maximum growth rates for your lamb or kid.

**Milktech Lamb Milk Replacer** contains essential vitamins and minerals required for early growth and development and contains no coccidiostat, making it safe for multiple species.

Milktech Lamb Milk Replacer can be fed to young animals such as lambs, goat kids, foals, fawns, piglets, puppies and cria.

#### MIXING INSTRUCTIONS

Dissolve the required amount of Milktech Lamb Milk Replacer to half the required volume of fresh, clean warm (40°C) water. Avoid hard water. Mix to a creamy smooth consistency and add further warm water to make up the required amount. Feed at body temperature (38-40°C).

Mix only when required. Keep bag closed when not in use.

Feed after a good intake of colostrum has been achieved.

Ensure that calves have access to hay and calf feed.

Keep buckets, bottles and other equipment clean.

#### DAILY LAMB FEEDING GUIDE

Mixing Rate: 160 – 200 g/L.

Lambs should receive ~200 mL/kg (20%) of its body weight in milk daily. Smaller animals may require more feeds of lower volume in a day.

| AGE (DAYS) | MIXING RATE                                                                                                                                                   | FEEDS PER DAY | VOLUME PER FEED (mL) | TOTAL MILK INTAKE PER DAY (mL) |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------|--------------------------------|
| 1          | COLOSTRUM - Feed colostrum at 15-20% of body weight in the first 24 hours spread over 2-3 feeds, with at least one feed within the first 6 hours after birth. |               |                      |                                |
| 2 – 4      | 160 g/L                                                                                                                                                       | 4             | 125                  | 500                            |
| 5 – 7      |                                                                                                                                                               | 4             | 175                  | 700                            |
| 8 – 10     |                                                                                                                                                               | 4             | 250                  | 1,000                          |
| 11 – 13    |                                                                                                                                                               | 3             | 400                  | 1,200                          |
| 14 – 21    | 200 g/L                                                                                                                                                       | 2             | 600                  | 1,200                          |
| 22 – 42    |                                                                                                                                                               | 2             | 700                  | 1,400                          |
| 43 – 49    |                                                                                                                                                               | 2             | 500                  | 1,000                          |
| Weaning    |                                                                                                                                                               | 1             | 500                  | 500                            |

Wean lambs from 6 weeks of age when eating sufficient solid food and forage. Weaning should take place over 7 days.

The quantities in these tables are recommendations only.

*Access feeding guidelines on our website for kids, puppies, piglets, foals, crias and fawns via the QR code.*

#### STORAGE

Store Milktech Lamb Milk Replacer in a cool, dry, well-ventilated environment below 25°C and 65% humidity. Avoid direct sunlight and contact with floors and walls. To maintain product integrity, store in a sealed container after opening.



9 345724 008385

MADE FOR AIRR 74-76 Drummond Rd, Shepparton, VIC 3630 | P 03 5820 8400 | independentsown.com.au

**THIS PRODUCT DOES NOT CONTAIN RESTRICTED ANIMAL MATERIAL**